T-CAM Camera Tracking





televic conference

CONFERENCE CAMERA TRACKING made EASY & EFFORTLESS

CAMERA TRACKING MADE EASY

The T-Cam Camera Tracking package is a complete and out-of-the-box solution for conference camera tracking. The T-Cam package comes with 2 cameras, a video switcher, and software to be up and running in no time. The system allows straightforward installation, fast configuration and integration of a camera tracking system with any Televic Conference system. The T-Cam solution controls up to 4 3G-SDI cameras.

SIMPLE CONFIGURATION

By combining hardware and software, the T-Cam solution makes it **easy to use and control cameras**. Installers can quickly set up cameras, create talking heads, automatically switch the camera between participants, and even add a participant's name as an overlay on top of the image.

FLEXIBLE PACKAGES

The T-Cam Camera Tracking Solution comes in **3 different packages**, depending on the number of cameras required and the option for a name overlay.

Features

Seamless integration with Televic Conference systems

- Integrates perfectly with D-Cerno, Plixus engine (Embedded Room Server), CoCon, and Confidea G3
- Creation of a synoptic for easy configuration of camera positions
- 2 shots per seat
- 2 shots for the wide shot
- Multiple seat configurations immediately available for flexible seating arrangements
- Configuration of camera positions can be done with the software or with a USB-joystick (not included in any of the packages)
- Manual switch to HDMI input for static input (e.g.: presentation laptop)
- 15× Optical zoom on cameras
- Software may be upgraded to webcasting software



Flexible Packages



The basic package contains everything you need for a basic camera tracking set-up:

- 2 3G-SDI Cameras
- Camera interconnection cables
- Capture card: Blackmagic DeckLink Mini Recorder
- Video switcher: Blackmagic ATEM TV Studio
- T-Cam Software: PC software with a license or control of 2 cameras



This package adds another camera and a camera license Up to 2 packages may be ordered for a maximum of 4 cameras.

- 1 3G-SDI Camera
- Camera interconnection cables
- 1 license for one additional camera

NAME OVERLAY LICENSE

This add-on allows an overlay to be added onto the video output by using an additional capture card.

- 1 license for name overlay
- Capture card: Blackmagic DeckLink Mini Recorder

The names for the video overlay come from the CoCon delegate database. Since a second capture card is required, a PC with 2 PCI slots is required, too. Finally, CoCon Discussion is mandatory, as well.



Designed for all product families

TELEVIC

Seamless integration and plug & play

D-CERNO

T-Cam is an ideal partner for D-Cerno: both are plug & play and allow you to get up and running in no time. Adding camera tracking is as easy as installing the D-Cerno system.



PLIXUS ENGINE (EMBEDDED ROOM SERVER)

Plixus® and T-Cam were made for each other. Whether it's a full-blown multimedia conference room with other video devices, or an audio-only venue: adding camera tracking is straightforward. Enjoy all the benefits of Plixus's Full HD video network capabilities.



COCON

Of course T-Cam was designed to work flawlessy alongside CoCon, Televic Conference's integrated software suite. The camera tracking images are available in the Video Routing application to allow versatile output options.



CONFIDEA G3 WIRELESS

Even the Confidea G3 Wireless is a great companion for T-Cam. Create talking heads wherever the participants are seated and have flexible control over the shots.







What's included in the T-CAM Box

Full HD PTZ Camera PTZ Camera Blackmagic DeckLink Mini Capture Card







Blackmagic ATEM Television Studio HD
Video Switcher

T-Cam Camera Control
Configuration Software





Intuitive Configuration





www.televic-conference.com



Televic - Conference NV (main office) Leo Bekaertlaan 1 B-8870 IZEGEM BELGIUM T. +32 (0)51 303045 F. +32 (0)51 310670







